

MARK - 10
MARK - 10
MARK - 10
MARK - 10
MARK - 10
MARK - 10

Force and Torque Measurement Products



MARK - 10
MARK - 10
MARK - 10
MARK - 10
MARK - 10
MARK - 10
MARK - 10
MARK - 10
MARK - 10
MARK - 10
MARK - 10[®]
MARK - 10
MARK - 10
MARK - 10

We make a measurable difference in force and torque

For more than 25 years, Mark-10 has been an innovative designer and manufacturer of force and torque measuring instruments. We serve a variety of industries around the world, including medical, pharmaceutical, automotive, textile, consumer products, aerospace, food and beverage, and more. Our product line consists of digital force and torque gauges, force and torque sensors, manual and motorized test stands, grips, and accessories.



Automotive

- Ergonomics
- Airbag deployment
- Buttons & switches
- Torque tool calibration
- Switch testing
- Seat belt retractors
- Fastener torque testing
- Windshield wiper arm force




General Manufacturing

- Spring testing
- Chain tension
- Push-out force in drive shafts
- Wire feed load mechanism
- Bearing torque testing
- Stud pull testing



Medical / Pharmaceutical

- Blade sharpness
- Suture strength
- Catheter torque
- Stent strength
- Syringe insertion and extraction
- Pill crush testing
- Tube terminal pull strength
- Closure torque



Plastics & Chemicals

- Film bond strength
- Foam compression
- Ceramics and plastics bending
- Peel testing
- Adhesion testing
- Elastomer elongation testing




Electronics

- Crimp pull strength
- Peel strength
- Keypad testing
- Weld strength
- Wire terminal strength
- Component removal force
- Contact activation force
- Connector force



Food & Beverage

- Fruit ripeness testing
- Package seal testing
- Bottle cap testing
- Food texture analysis
- Puncture testing
- Package burst testing



Force measurement

Digital Force & Torque Gauges



- Force capacities from 50 gF to 1000 lbF (0.5 N to 5 kN)
- Torque capacities from 10 ozFin to 100 lbFin (7 Ncm to 1150 Ncm)
- Selectable units of measurement
- Data outputs available (RS-232, Mitutoyo, analog)
- Set point outputs available
- Averaging mode available
- Reversible housing for handheld or test stand use
- External trigger feature available

Remote Force & Torque Sensors




- Interchangeable remote force and torque sensors
- Plug-and-play interchangeability - all parameters saved in sensor, not in gauge
- Force capacities from 0.25 lbF to 10000 lbF (1 N to 50 kN)
- Torque capacities from 10 ozFin to 5000 lbFin (7 Ncm to 550 Nm)

Manual & Motorized Test Stands



- Lever-operated, hand wheel-operated, and motorized models available
- Force capacities from 100 lbF to 1000 lbF (500 N to 5 kN)
- Torque capacities to 100 lbin (11.3 Nm)
- Many configurations for a wide variety of applications
- Modular design on most models
- Compatible with Mark-10 force and torque gauges
- Travel and angle displays available



Applications are virtually limitless...

Mark-10 force and torque measurement instruments are used by quality control, engineering, and manufacturing professionals in virtually every industry around the world.

MARK-10

We make a measurable difference in force and torque measurement

Mark-10 Corporation
11 Dixon Avenue ■ Copiague, NY 11726 USA
888-MARK-TEN ■ Tel: +1 631 842 9200 ■ Fax: +1 631 842 9201
www.mark-10.com ■ info@mark-10.com



© 2007 MARK-10 CORPORATION
32-1076